

# Lowpass Filter Case Selection Guide

Cut-Off Freq.	Connect Via	Series Number					
		L*3	L*5	L*7	L*9	L*11	LC13
1kHz to 9.99kHz	PCB Pins	13 2.0" x 2.0" x 0.75"	13 2.0" x 2.0" x 0.75"	13 2.0" x 2.0" x 0.75"	16 3.0" x 2.0" x 0.75"	20 5.0" x 1.42" x 0.75"	20 5.0" x 1.42" x 0.75"
	SMA Female	69A 3.0" x 1.0" x 0.75"	720A 5.0" x 1.42" x 0.75"	720A 5.0" x 1.42" x 0.75"	720A 5.0" x 1.42" x 0.75"	5249A 5.7" x 2.0" x 0.85"	5249A 5.7" x 2.0" x 0.85"
	BNC Female	69B 2.0" x 2.0" x 0.75"	720B 5.0" x 1.42" x 0.75"	720B 5.0" x 1.42" x 0.75"	720B 5.0" x 1.42" x 0.75"	5249B 5.7" x 2.0" x 0.85"	5249B 5.7" x 2.0" x 0.85"
10kHz to 49.99kHz	PCB Pins	1245 2.4" x 1.0" x 0.50"	1245 2.4" x 1.0" x 0.50"	1335 3.3" x 1.0" x 0.50"	1335 3.3" x 1.0" x 0.50"	1405 4.0" x 1.0" x 0.75"	20 5.0" x 1.42" x 0.75"
	SMA Female	69A 3.0" x 1.0" x 0.75"	720A 5.0" x 1.42" x 0.75"	720A 5.0" x 1.42" x 0.75"			
	BNC Female	69B 3.0" x 1.0" x 0.75"	720B 5.0" x 1.42" x 0.75"	720B 5.0" x 1.42" x 0.75"			
50kHz to 299kHz	PCB Pins	1245 2.4" x 1.0" x 0.50"	1245 2.4" x 1.0" x 0.50"	1335 3.3" x 1.0" x 0.50"	1335 3.3" x 1.0" x 0.50"	20 5.0" x 1.42" x 0.75"	20 5.0" x 1.42" x 0.75"
	SMA Female	65A 2.0" x 1.0" x 0.5"	65A 2.0" x 1.0" x 0.5"	69A 3.0" x 1.0" x 0.75"	69A 3.0" x 1.0" x 0.75"	720A 5.0" x 1.42" x 0.75"	720A 5.0" x 1.42" x 0.75"
	BNC Female	65B 2.0" x 1.0" x 0.75"	65B 2.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	720B 5.0" x 1.42" x 0.75"	720B 5.0" x 1.42" x 0.75"
300kHz to 999kHz	PCB Pins	1245 2.4" x 1.0" x 0.50"	1245 2.4" x 1.0" x 0.50"	1245 2.4" x 1.0" x 0.50"	1335 3.3" x 1.0" x 0.50"	1335 3.3" x 1.0" x 0.50"	1335 3.3" x 1.0" x 0.50"
	SMA Female	65A 2.0" x 1.0" x 0.5"	65A 2.0" x 1.0" x 0.5"	69A 3.0" x 1.0" x 0.75"	69A 3.0" x 1.0" x 0.75"	69A 3.0" x 1.0" x 0.75"	720A 5.0" x 1.42" x 0.75"
	BNC Female	65B 2.0" x 1.0" x 0.75"	65B 2.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	720B 5.0" x 1.42" x 0.75"
1MHz to 9.9MHz	PCB Pins	1064 1.0" x 0.6" x 0.40"	1064 1.0" x 0.6" x 0.40"	1664 1.6" x 0.6" x 0.40"	2064 2.0" x 0.6" x 0.40"	2464 2.4" x 0.6" x 0.40"	2864 2.8" x 0.6" x 0.40"
	SMA Female	1255A 1.2" x 0.5" x 0.5"	65A 3.0" x 1.0" x 0.5"	65A 3.0" x 1.0" x 0.5"	69A 3.0" x 1.0" x 0.75"	69A 3.0" x 1.0" x 0.75"	720A 5.0" x 1.42" x 0.75"
	BNC Female	65B 2.0" x 1.0" x 0.75"	65B 2.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	720B 5.0" x 1.42" x 0.75"
10MHz to 19.9MHz	PCB Pins	1064 1.0" x 0.6" x 0.40"	1064 1.0" x 0.6" x 0.40"	1664 1.6" x 0.6" x 0.40"	2064 2.0" x 0.6" x 0.40"	2464 2.4" x 0.6" x 0.40"	2864 2.8" x 0.6" x 0.40"
	SMT	SM0964 0.9" x 0.60" x 0.38"	SM1264 1.2" x 0.60" x 0.38"	SM1864 1.8" x 0.60" x 0.38"	SM2264 2.2" x 0.60" x 0.38"	SM2664 2.6" x 0.60" x 0.38"	SM3064 3.0" x 0.60" x 0.38"
	SMA	1255A 1.2" x 0.5" x 0.5"	65A 2.0" x 1.0" x 0.5"	65A 2.0" x 1.0" x 0.5"	65A 2.0" x 1.0" x 0.75"	69A 3.0" x 1.0" x 0.75"	69A 3.0" x 1.0" x 0.75"
	BNC Female	65B 2.0" x 1.0" x 0.75"	65B 2.0" x 1.0" x 0.75"	65B 2.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"
	BNC Female	65B 2.0" x 1.0" x 0.75"	65B 2.0" x 1.0" x 0.75"	65B 2.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"	69B 3.0" x 1.0" x 0.75"
20MHz to 99.9MHz	PCB Pins	744 0.7" x 0.38 x 0.38"	1144 1.1" x 0.38 x 0.38"	1444 1.4" x 0.38 x 0.38"	1444 1.4" x 0.38 x 0.38"	1644 1.6" x 0.38 x 0.38"	1644 1.6" x 0.38 x 0.38"
	SMT	SM1144 1.1" x 0.38" x 0.38"	SM1144 1.1" x 0.38" x 0.38"	SM1744 1.7" x 0.38" x 0.38"	SM1744 1.7" x 0.38" x 0.38"	SM1744 1.7" x 0.38" x 0.38"	SM17544 1.7" x 0.38" x 0.38"
	SMA Female	1054A 1.0" x 0.5" x 0.4"	1254A 1.2" x 0.5" x 0.4"	1554A 1.5" x 0.5" x 0.4"	1554A 1.5" x 0.5" x 0.4"	1754A 1.7" x 0.5" x 0.4"	1754A 1.7" x 0.5" x 0.4"
100MHz to 3000MHz	PCB Pins	744 0.7" x 0.38 x 0.38"	744 0.7" x 0.38 x 0.38"	1144 1.1" x 0.38 x 0.38"	1144 1.1" x 0.38 x 0.38"	1344 1.3" x 0.38 x 0.38"	1344 1.3" x 0.38 x 0.38"
	SMT	SM1144 1.1" x 0.38" x 0.38"	SM1144 1.1" x 0.38" x 0.38"	SM1344 1.3" x 0.38" x 0.38"	SM1344 1.3" x 0.38" x 0.38"	SM1544 1.5" x 0.38" x 0.38"	SM1544 1.5" x 0.38" x 0.38"
	SMA Female	1054A 1.0" x 0.5" x 0.4"	1054A 1.0" x 0.5" x 0.4"	1254A 1.2" x 0.5" x 0.4"	1254A 1.2" x 0.5" x 0.4"	1554A 1.5" x 0.5" x 0.4"	1554A 1.5" x 0.5" x 0.4"

**PLEASE REFER TO THE CASE OUTLINE DRAWINGS FOR THE EXACT DIMENSIONS and MOUNTING INFORMATION.**

\*B= Butterworth to 2000MHz

C=Chebyshev to 4000MHz

G=Gaussian to 200MHz

T= Bessel to 200MHz